

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	548	(display adj1 assembly) and (rubberadj1 ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 18:42
S2	1	(display adj1 assembly) and (rubber adj1 ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 18:34
S3	47	(display adj1 device) and (rubber adj1 ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 18:40
S4	7	(display adj1 device) and (silicone adj1 ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 18:41
S5	3	(display adj1 device) and (thermal adj ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 18:41
S6	25	361/728 and (display adj ( device or assembly) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:24
S7	84	361/749 and (display adj ( device or assembly) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:17
S8	3	("6407796").URPN.	USPAT	OR	OFF	2005/06/15 19:07
S9	45	174/254 and (display adj ( device or assembly) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:59

S10	32	361/752 and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:13
S11	15	361/807 and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:59
S12	7	361/800 and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 17:46
S13	15	361/816 and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:14
S14	18	361/818 and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:14
S17	13	174/35ms and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:14
S19	6	361/808 and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:22
S20	8	361/809 and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:23

S21	4	361/810 and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:24
S22	7	361/720 and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:24
S24	10	361/715 and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:25
S25	2	361/714 and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:25
S27	3	361/714 and (display adj ( device or assembly) ) and (flexible or elastic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:26
S28	3	361/714 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:26
S29	3	361/712 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:27
S30	3	361/713 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:27

S33	11	361/715 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:28
S35	8	361/720 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:31
S38	16	361/767 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:35
S39	19	361/785 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:36
S40	11	361/789 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:36
S41	20	361/796 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:36
S42	5	361/799 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:37
S44	3	"361"/\$ and (display adj ( device or assembly) ) and ((flexible or elastic or resilient) adj1 ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:37

S45	4	"174"/\$ and (display adj ( device or assembly) ) and ((flexible or elastic or resilient) adj1 ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:49
S46	5	349/150 and (display adj ( device or assembly) ) and ((flexible or elastic or resilient) adj1 ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:51
S47	1	349/58 and (display adj ( device or assembly) ) and ((flexible or elastic or resilient) adj1 ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:51
S52	10	361/687 and (display adj ( device or assembly) ) and (flexible or elastic or resilient) and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:17
S53	6	174/252 and (display adj ( device or assembly) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:59
S54	1	(CHOU adj1 PIN-HUNG).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 17:47
S55	355	(CHUNGHWA adj1 PICTURE adj1 TUBES).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 17:51
S56	1	(CHUNGHWA adj1 PICTURE adj1 TUBES).as. and FPC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 17:48

S57	45	(CHUNGHWA adj1 PICTURE adj1 TUBES).as. and (display adj1 (device or assembly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 17:49
S58	11	361/719 and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 17:56
S59	20	361/707 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 17:57
S60	166	"361"/\$ and (display adj ( device or assembly) ) and (flexible or elastic or resilient) and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 17:59
S61	6	313/461 and (display adj ( device or assembly) ) and (flexible or elastic or resilient) and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:20
S62	87	361/687 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:21
S63	38	361/681 and (display adj ( device or assembly) ) and (flexible or elastic or resilient) and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:35
S67	14	174/198	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:33

S68	2	174/52.1 and (display adj ( device or assembly) ) and (flexible or elastic or resilient) and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:40
S72	2	174/50.62 and (display adj ( device or assembly) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:40
S73	2	174/50.63 and (display adj ( device or assembly) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:40
S74	116	174/50.63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:38
S75	52	361/760 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:41
S76	20	174/35r and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:43
S77	10	174/35gc and (display adj ( device or assembly) ) and flexible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:45
S78	34	361/704 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:46

S79	278	361/681 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 18:50
S80	14	361/719 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 19:01
S81	30	361/748 and (display adj ( device or assembly) ) and (flexible or elastic or resilient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 19:02